Conforms to Regulation (E 2020/878 - Europe	C) No. 1907/2006 (REACH),	Annex II, as amended by Commission	Regulation (EU)
Date of issue/ Date of revision	: 6/27/2022	Date of previous issue	: 11/14/2016

# SAFETY DATA SHEET

**TERASSI- JA KALUSTEPESU** 

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1	Prod	uct	iden	tifier

TIKKURIL

Product name : TERASSI- JA KALUSTEPESU

Product description : Detergent.

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended use: Cleaning

#### 1.3 Details of the supplier of the safety data sheet

Manufacturer or DistributorTikkurila OyjP.O. Box 53FI-01301 VANTAAFINLANDTelephone +358 20 191 2000e-mail address of personresponsible for this SDS: Tikkurila Oyj,Product Safety,e-mail: productsafety@tikkurila.com

#### 1.4 Emergency telephone number

Telephone number	:	112
-		(24h)

Supplier or Manufacturer

Telephone number : Tikkurila Oyj +358 20 191 2000 (GMT +2) Mon-Fri 8-16

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Product definition : Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Øx. Sol. 2, H272 Acute Tox. 4, H302 Eye Dam. 1, H318

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

#### 2.2 Label elements

Hazard pictograms



- Signal word Hazard statements
- : Danger : H272 - May intensify fire; oxidizer.
- H302 Harmful if swallowed.
- H318 Causes serious eye damage.

Date of issue/Date of revision		27.06.2022 Date of previous issue	14.11.2016.	TERASSI- JA KALUSTEPESU
Precautionary statements				
General	:	101 - If medical advice is neede P102 - Keep out of reach of childr		container or label at hand.
Prevention	:	<ul> <li>▶210 - Keep away from heat, hot sources. No smoking.</li> <li>▶220 - Keep away from clothing a P280 - Wear protective gloves/cloperation</li> <li>▶271 - Use only outdoors or in a way and sources.</li> </ul>	nd other combu thing and eye/fa	stible materials. ice protection.
Response	:	▶305 + P351 + P338, P310 - IF IN minutes. Remove contact lenses, Immediately call a POISON CEN	if present and e	asy to do. Continue rinsing.
Storage	:	Not applicable.		
Disposal	:	Not applicable.		
Hazardous ingredients	:	sodium carbonate peroxyhydrate		
Supplemental label elements	:	Not applicable.		
EU Detergents Regulation				
	:	30% and more: oxygen-based ble	aching agents. I	ess than 5%: anionic surfactants.

#### 2.3 Other hazards

Other hazards which do : None known. not result in classification

# **SECTION 3: Composition/information on ingredients**

: Mixture			
Identifiers	%	Classification Regulation (EC) No. 1272/2008 [CLP]	Notes
REACH #: 01-2119457268-30 EC: 239-707-6 CAS: 15630-89-4	≥75 - ≤90	Ox. Sol. 2, H272 Acute Tox. 4, H302 Eye Dam. 1, H318	-
		See Section 16 for the full text of the H statements declared above.	
	Identifiers REACH #: 01-2119457268-30 EC: 239-707-6	Identifiers         %           REACH #: 01-2119457268-30         ≥75 - ≤90           EC: 239-707-6         ≥75 - ≤90	Identifiers%ClassificationIdentifiers%Regulation (EC) No. 1272/2008 [CLP]REACH #: 01-2119457268-30 EC: 239-707-6 CAS: 15630-89-4≥75 - ≤90Ox. Sol. 2, H272 Acute Tox. 4, H302 Eye Dam. 1, H318 See Section 16 for the full text of the H statements

Notes, if applicable, refer to Notes given in Annex VI of 1272/2008/EC.

There are no additional ingredients present which, within the current knowledge of the supplier, are classified and contribute to the classification of the substance and hence require reporting in this section.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs or vPvBs or have been assigned a workplace exposure limit and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Ingredient name	INCI Name	CAS #	<b>Class of constituent</b>	Content (%)
disodium carbonate, compound with hydrogen peroxide (2:3)	SODIUM CARBONATE PEROXIDE	15630-89-4	oxygen-based bleaching agents	30% and more
Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxide			anionic surfactants	less than 5%

# **SECTION 4: First aid measures**

4.1 Description of firs	t aid measures
General	: In all cases of doubt, or when symptoms persist, seek medical attention. Show this safety data sheet or label to the doctor if possible.
Eye contact	: Check for and remove any contact lenses. Immediately flush eyes with plenty of lukewarm water, keeping eyelids open. Continue to rinse for at least 20 minutes. Get medical attention immediately.
Inhalation	: Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Get medical attention.
Skin contact	<ul> <li>Wash skin thoroughly with soap and water or use recognized skin cleanser. Do NOT use solvents or thinners.</li> </ul>
Ingestion	: If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Remove to fresh air and keep at rest in a position comfortable for breathing. Do NOT induce vomiting.

14.11.2016.

#### 4.2 Most important symptoms and effects, both acute and delayed

Harmful if swallowed.

Causes serious eye damage.

See Section 11 for more detailed information on health effects and symptoms.

#### 4.3 Indication of any immediate medical attention and special treatment needed

None.

# **SECTION 5: Firefighting measures**

_	-
5.1 Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire. Recommended: Alcohol resistant foam, CO <sub>2</sub> , powders or water spray/mist.
Unsuitable extinguishing media	: Do not use a direct water jet that could spread the fire.
5.2 Special hazards arising fr	om the substance or mixture
Hazards from the substance or mixture	: This product is not classified as flammable. Oxidizing material. May intensify fire. Fire will produce dense black smoke. Exposure to decomposition products may cause a health hazard.
Hazardous combustion products	: None known.
5.3 Advice for firefighters	
Special protective actions for fire-fighters	: Use water spray to keep fire-exposed containers cool. Do not release runoff from fire to drains or watercourses.
Special protective equipment for fire-fighters	<ul> <li>Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.</li> </ul>
SECTION 6: Acciden	al release measures
6.1 Personal precautions, protective equipment and emergency procedures	: Provide adequate ventilation. Avoid contact with skin and eyes. Avoid the creation of dust while cleaning up. See Section 8 for information on appropriate personal protective equipment.

6.2 Environmental	1	Undiluted product is not allowed to enter drains or watercourses.
precautions		

Date of issue/Date of revision	27.06.2022 Date of previous issue	14.11.2016.	TERASSI- JA KALUSTEPESU
6.3 Methods and materials for containment and cleaning up	a : <b>V</b> acuum dust with equipment fitted waste container. Preferably clean		
6.4 Reference to other sections	: See Section 1 for emergency cont See Section 13 for additional wast		mation.
SECTION 7: Handli	ng and storage		
7.1 Precautions for safe handling	: Avoid contact with skin and eyes. A 8 for information on appropriate per		•

	Wash hands before breaks and immediately after handling the product.
7.2 Conditions for safe storage, including any incompatibilities	<ul> <li>Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed. Recommended storage temperature is +5°C +25°C. Store in accordance with local regulations.</li> </ul>
7.3 Specific end use(s)	: None.

## SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

**Occupational exposure limits** No exposure limit value known.

procedures

**Recommended monitoring** : If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.

smoking should be prohibited in areas where this material is handled and stored.

#### **DNELs/DMELs**

No DNELs/DMELs available.

**PNECs** 

No PNECs available.

#### 8.2 Exposure controls

#### Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable, this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapors below the OEL, suitable respiratory protection must be worn (see Personal protection). Provide a readily-accessible eyewash facility. Comply with the health and safety at work laws.

#### Individual protection measures

Eye/face protection	: Recommended: Wear eye or face protection.
Hand protection	: Wear protective gloves. Gloves should be replaced regularly and if there is any sign of damage to the glove material. The instructions and information provided by the glove manufacturer on use, storage, maintenance and replacement must be followed. Recommended: 4 - 8 hours (breakthrough time): PVC, nitrile rubber or neoprene. Not recommended: leather or Cotton product.
Skin protection	: Wear suitable protective clothing.
Respiratory protection	<ul> <li>Recommended: If ventilation is inadequate, use appropriate respirators with dust filter P2 (EN149:2001). Be sure to use an approved/certified respirator or equivalent. Check that mask fits tightly and change filter regularly.</li> </ul>

# **SECTION 9: Physical and chemical properties**

9.1 Information on basic physica	and chemical properties
Appearance	
Physical state	: Solid.
Color	: White.
Odor	: Mild.
Odor threshold	: Not relevant for the hazard assessment of the product.
рН	: Not applicable.
Melting point/freezing point	: Not available.
Initial boiling point and	: Not available.
boiling range	
Flash point	: Not applicable.
Evaporation rate	: Not available.
Flammability (solid, gas)	: No flammable ingredients present.
Upper/lower flammability or explosive limits	: Not applicable.
Vapor pressure	: Not available.
Vapor density	: Not applicable.
Density	: 📝 1 g/cm³
Solubility(ies)	: Soluble in water.140 g/l (20°C)
Partition coefficient: n-octanol/ water	: Not applicable.
Auto-ignition temperature	: Not applicable.
Decomposition temperature	Not relevant for the hazard assessment of the product.
Viscosity	: Not relevant for the hazard assessment of the product.
Explosive properties	: No explosive ingredients present.
Oxidizing properties	: Oxidizing
Particle characteristics	
Median particle size	: Not available.

#### 9.2 Other information

No additional information.

# **SECTION 10: Stability and reactivity**

10.1 Reactivity	1	See Section 10.5.
10.2 Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
10.3 Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
10.4 Conditions to avoid	:	Avoid extreme heat and freezing. Oxidizes on contact with air.
10.5 Incompatible materials	:	Keep away from the following materials to prevent strong exothermic reactions: oxidizing agents strong acids strong alkalis
10.6 Hazardous decomposition products	:	When exposed to high temperatures, hazardous decomposition products may be produced, such as carbon monoxide and dioxide, smoke, oxides of nitrogen etc.

14.11.2016.

# SECTION 11: Toxicological information

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

There is no testdata available on the product itself.

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

Prolonged or repeated contact can defat the skin and lead to irritation, cracking and/or dermatitis.

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
sodium carbonate peroxyhydrate	LD50 Oral	Rat	1034 mg/kg	-

Harmful if swallowed.

Irritation/Corrosion

Causes serious eye damage.

Sensitization

Not classified.

Mutagenicity

Not classified.

Carcinogenicity

Not classified.

**Reproductive toxicity** 

Not classified.

Teratogenicity

Not classified.

Specific target organ toxicity (single exposure)

Not classified.

Specific target organ toxicity (repeated exposure)

Not classified.

Aspiration hazard Not classified.

#### 11.2 Information on other hazards

#### 11.2.1 Endocrine disrupting properties

Not applicable.

#### 11.2.2 Other information

Not available.

### **SECTION 12: Ecological information**

Cological testing has not been conducted on this product. The product is not classified as environmentally hazardous according to Regulation (EC) 1272/2008.

Do not allow undiluted product to enter drains, water courses or soil.

The surfactants contained in this mixture comply with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.

#### 12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxide	EC50 >10 mg/l	Algae	72 hours
	EC50 >1 mg/l	Daphnia	48 hours

Date of issue/Date of revision	27.06.2022 Date of previous issue	14.11.2016.	TERASSI- JA KALUSTEPESU	
	NOEC >0.1 mg/l	Daphnia	21 days	;

# 12.2 Persistence and degradability

Product/ingredient name	Test	Result		Dose		Inoculum
Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxide	OECD 301A	>70 % - Readily - 28 days		-		-
Product/ingredient name	Aquatic half-life		Photolysis		Biodeg	gradability
Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxide	-	-			Readily	,

**Biodegradability report** : Not available.

12.3 Bioaccumulative	: No specific data.
potential	

12.4 Mobility in soil	
-----------------------	--

Soil/water partition	:	Not available.
coefficient (Koc)		
Mobility	:	Not available.

#### 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

# **12.6 Endocrine disrupting** : Not applicable.

properties

**12.7 Other adverse effects** : Not available.

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product

Methods of disposal

: Remove as much product as possible from the tools before cleaning. Undiluted liquid residue must not be emptied into drains or sewage system, but handled in accordance with national regulations. Dispose of solid residue according to applicable regulations.

#### European waste catalogue (EWC)

Waste code	Waste designation					
20 01 29* detergents containing hazardous substances						
If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned. For further information, contact your local waste authority.						
Packaging						
Mothods of disposal	Empty packaging should be recycled or dispessed of in accordance with patienal					

Methods of disposal	:	Empty packaging should be recycled or disposed of in accordance with national regulations.
Special precautions	:	None.

### **SECTION 14: Transport information**

	ADR/RID	IMDG	ΙΑΤΑ
14.1 UN number or ID number	UN3378	UN3378	UN3378
14.2 UN proper shipping name	SODIUM CARBONATE PEROXYHYDRATE	SODIUM CARBONATE PEROXYHYDRATE	Sodium carbonate peroxyhydrate
14.3 Transport hazard class(es)	5.1	5.1	5.1
14.4 Packing group	111	111	
14.5 Environmental hazards	No.	No.	No.

#### Additional information

Additional information		
ADR/RID	: Mazard identification number 50 Limited quantity 5 kg Tunnel code (E)	
IMDG	: Emergency schedules F-A, S-Q	
ΙΑΤΑ	<ul> <li>Quantity limitation Passenger and Cargo Aircraft: 25 kg. Packaging instructions: 559. Cargo Aircraft Only: 100 kg. Packaging instructions: 563. Limited Quantities - Passenger Aircraft: 10 kg. Packaging instructions: Y546.</li> <li>Special provisions A803</li> </ul>	
14.6 Special precautions for user	: <b>Transport within user's premises:</b> always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.	

#### 14.7 Maritime transport in : Not available. bulk according to IMO instruments

### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Detergent Regulation (Regulation (EC) No. 648/2004) EU Regulation (EC) No. 1907/2006 (REACH) Other EU regulations : All components are listed or exempted. Europe inventory **Persistent Organic Pollutants** Not listed. **15.2 Chemical Safety** 

#### Assessment

: This product contains substances for which Chemical Safety Assessments are still required.

27.06.2022 Date of previous issue

### **SECTION 16: Other information**

Indicates information that has changed from previously issued version.

Abbreviations and acronyms	: ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No.
-	1272/2008]
	DMEL = Derived Minimal Effect Level
	DNEL = Derived No Effect Level
	EUH statement = CLP-specific Hazard statement
	PBT = Persistent, Bioaccumulative and Toxic
	PNEC = Predicted No Effect Concentration
	RRN = REACH Registration Number
	vPvB = Very Persistent and Very Bioaccumulative

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classi	ification	Justification	
Øx. Sol. 2, H272 Acute Tox. 4, H302 Eye Dam. 1, H318	Expert judgment Expert judgment Expert judgment		
Full text of abbreviated H statements	H302 Harmful if swall	Harmful if swallowed.	
Full text of classifications [CLP/GHS]	: Acute Tox. 4 Eye Dam. 1 Ox. Sol. 2	ACUTE TOXICITY - Category 4 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1 OXIDIZING SOLIDS - Category 2	
Date of issue/ Date of revision	: 6/27/2022		
Date of previous issue	: 11/14/2016		
Version	: 2		
Notice to reader			

#### Notice to reader

This Safety Data Sheet is prepared in accordance with Annex II (EU) No 878/2020 to Regulation (EC) No 1907/2006 (REACH). The information contained in this Safety Data Sheet is based on the present state of knowledge and current EU and national legislation. It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications.