| Conforms to Regulation | (EC) No. 1907/2006 (R | EACH), Annex II, as amended by Commission | n Regulation (EU) |
|---------------------------------|-----------------------|---|-----------------------------|
| 2020/878 - Europe | | | |
| Date of issue/ Date of revision | : 9/2/2022 | Date of previous issue | : No previous validation |

SAFETY DATA SHEET

AKVI TOP AB 20

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Product name : AKVI TOP AB 20

Product description : A waterborne acrylate paint.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended use: Painting work

1.3 Details of the supplier of the safety data sheet

Manufacturer or DistributorTikkurila OyjP.O. Box 53FI-01301 VANTAAFINLANDTelephone +358 20 191 2000e-mail address of personresponsible for this SDS: Tikkurila Oyj,Product Safety,e-mail: productsafety@tikkurila.com

1.4 Emergency telephone number

| Telephone number | : | 112 |
|------------------|---|-------|
| - | | (24h) |

Supplier or Manufacturer

| Telephone number | : | Tikkurila Oyj |
|------------------|---|--|
| | | +358 20 191 2000 (GMT +2) Mon-Fri 8-16 |

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition : Mixture Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Aquatic Chronic 3, H412

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

2.2 Label elements

| Signal word | : No signal word. |
|--------------------------|---|
| Hazard statements | : H412 - Harmful to aquatic life with long lasting effects. |
| Precautionary statements | |
| General | : Not applicable. |
| Prevention | : P273 - Avoid release to the environment. |
| Response | : Not applicable. |
| Storage | : Not applicable. |
| Disposal | : Not applicable. |

| Date of issue/Date of revision | 02.09.2022 Date of previous issue | No previous validation. | AKVI TOP AB 20 |
|--------------------------------|--|-------------------------|---|
| Supplemental label elements | : Contains 1,2-benzisothiazol-3(2H 2H-isothiazol-3-one and 2-methyl produce an allergic reaction. Wear protective gloves. | | eaction mass of 5-chloro-2-methyl- one (3:1) (C(M)IT/MIT (3:1)). May |
| | Warning! Hazardous respirable d breathe spray or mist. | roplets may be fo | ormed when sprayed. Do not |
| Treated articles | | | |
| This product contains a bioc | idal product for the preservation of the | product during st | torage Contains BIT and C(M)IT/ |

This product contains a biocidal product for the preservation of the product during storage. Contains BIT and C(M)IT/ MIT (3:1). This paint contains a biocidal product for the preservation of the dry film. Contains 3-iodo-2-propynyl butylcarbamate (IPBC) and Silver phosphate glass. Risk of skin sensitization.

2.3 Other hazards

Other hazards which do : None known. not result in classification

SECTION 3: Composition/information on ingredients

| 3.2 Mixtures : Mixture | | | | |
|--|---|--------|--|-------|
| Product/ingredient name | Identifiers | % | <u>Classification</u> Regulation (EC) No. 1272/2008 [CLP] | Notes |
| Silver phosphate glass | CAS: 308069-39-8 | ≤0.3 | Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=1) | - |
| 3-iodo-2-propynyl butylcarbamate (IPBC) | REACH #: 01-2120762115-60 EC: 259-627-5 CAS: 55406-53-6 | <0.1 | Acute Tox. 4, H302 Acute Tox. 3, H331 Eye Dam. 1, H318 Skin Sens. 1, H317 STOT RE 1, H372 (larynx) Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=1) | - |
| 1,2-benzisothiazol-3(2H)-one (BIT) | EC: 220-120-9 CAS: 2634-33-5 | <0.05 | Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 2, H411 | - |
| pyridine-2-thiol 1-oxide, sodium salt | REACH #: 01-2119493385-28 EC: 223-296-5 CAS: 3811-73-2 | ≤0.1 | Acute Tox. 4, H302 Acute Tox. 4, H312 Acute Tox. 4, H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=10) | - |
| reaction mass of 5-chloro-2-methyl- 2H-isothiazol-3-one and 2-methyl- 2H-isothiazol-3-one (3:1) (C(M)IT/ MIT (3:1)) | CAS: 55965-84-9 Index: 613-167-00-5 | <0.001 | Acute Tox. 3, H301 Acute Tox. 2, H310 Acute Tox. 2, H330 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100) EUH071 | - |
| | | | See Section 16 for the full text of the H statements declared above. | |

Notes, if applicable, refer to Notes given in Annex VI of 1272/2008/EC.

| Date of issue/Date of revisio | n |
|-------------------------------|---|
|-------------------------------|---|

02.09.2022 Date of previous issue

No previous validation.

AKVI TOP AB 20

Ingredient name, Specific concentration limits, ATE value

1,2-benzisothiazol-3(2H)-one (BIT) Skin Sens. 1, H317: C ≥ 0,05 %

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (C(M)IT/MIT (3:1)) Skin Corr. 1C, H314: $C \ge 0,6 \%$ Skin Irrit. 2, H315: $0,06 \% \le C < 0,6 \%$ Eye Dam. 1, H318: $C \ge 0,6 \%$ Eye Irrit. 2, H319: $0,06 \% \le C < 0,6 \%$ Skin Sens. 1A, H317: $C \ge 0,0015 \%$

There are no additional ingredients present which, within the current knowledge of the supplier, are classified and contribute to the classification of the substance and hence require reporting in this section.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs or vPvBs or have been assigned a workplace exposure limit and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures

| General | In all cases of doubt, or when symptoms persist, seek medical attention. Show this safety data sheet or label to the doctor if possible. |
|--------------|--|
| Eye contact | : Check for and remove any contact lenses. Immediately flush eyes with plenty of lukewarm water, keeping eyelids open. Continue to rinse for at least 15 minutes. |
| Inhalation | : Remove to fresh air. |
| Skin contact | : Wash skin thoroughly with soap and water or use recognized skin cleanser. Do NOT use solvents or thinners. |
| Ingestion | : If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious). If significant amounts have been swallowed or if symptoms persist, seek medical attention. |

4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

4.3 Indication of any immediate medical attention and special treatment needed

None.

SECTION 5: Firefighting measures

5.1 Extinguishing media

| Suitable extinguishing media | Use an extinguishing agent suitable for the surrounding fire. Recommended: Alcohol resistant foam, CO₂, powders or water spray/mist. | |
|---------------------------------------|---|--|
| Unsuitable extinguishing media | : Do not use a direct water jet that could spread the fire. | |
| 5.2 Special hazards arising f | rom the substance or mixture | |
| Hazards from the substance or mixture | : This product is not classified as flammable. Fire will produce dense black smoke. Exposure to decomposition products may cause a health hazard. | |
| Hazardous combustion products | : When exposed to high temperatures, hazardous decomposition products may be produced, such as carbon monoxide and dioxide, smoke, oxides of nitrogen etc. | |
| 5.2 Advice for firefighters | | |

5.3 Advice for firefighters

| Special protective actions | : Use water spray to keep fire-exposed containers cool. This material is hazardous to |
|----------------------------|---|
| for fire-fighters | aquatic organisms. Fire water contaminated with this material must be contained |
| - | and prevented from being discharged to any waterway, sewer or drain. |

| Date of issue/Date of revision | 02.09.2022 Date of previous issue | No previous validation. | AKVI TOP AB 20 | |
|--|-----------------------------------|----------------------------|----------------|--|
| Special protective equipment for fire-fighters | : Appropriate breathing apparatus | may be required. | | |

SECTION 6: Accidental release measures

| 6.1 Personal precautions, protective equipment and emergency procedures | : Refer to protective measures listed in sections 7 and 8. |
|---|--|
| 6.2 Environmental precautions | : Hazardous to aquatic environment. Do not allow to enter drains, water courses or soil. |
| 6.3 Methods and materials for containment and cleaning up | : Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Preferably clean with water or detergent. Avoid using solvents. |
| 6.4 Reference to other sections | : See Section 1 for emergency contact information. See Section 13 for additional waste treatment information. |

SECTION 7: Handling and storage

| 7.1 Precautions for safe handling | : Skin contact with the product and exposure to spray mist and vapor should be avoided. Avoid contact with skin and eyes. Avoid inhalation of dust from sanding. See Section 8 for information on appropriate personal protective equipment. Eating, drinking and smoking should be prohibited in areas where this material is handled and stored. Wash hands before breaks and immediately after handling the product. Avoid release to the environment. |
|--|---|
| 7.2 Conditions for safe storage, including any incompatibilities | : Store away from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10). Keep container tightly closed. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Recommended storage temperature is +5°C+25°C. Do not allow to freeze. Store in accordance with local regulations. |
| 7.3 Specific end use(s) | : None. |

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits No exposure limit value known.

procedures

Recommended monitoring : If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.

DNELs/DMELs

No DNELs/DMELs available.

PNECs

No PNECs available.

8.2 Exposure controls

Appropriate engineering controls

Provide adequate ventilation. Comply with the health and safety at work laws.

Individual protection measures

Eye/face protection

: Safety eyewear should be used when there is a likelihood of exposure. Use safety eyewear (EN166), especially during spray-application.

| Date of issue/Date of revision | 02.09.2022 Date of previous issue No previous AKVI TOP AB 20 validation. |
|---------------------------------|---|
| Hand protection | Wear protective gloves. Gloves should be replaced regularly and if there is any sign of damage to the glove material. The instructions and information provided by the glove manufacturer on use, storage, maintenance and replacement must be followed. Recommended glove material (EN374): > 8 hours (breakthrough time): nitrile rubber Not recommended: PVA gloves |
| Skin protection | : Wear appropriate personal protective clothing to prevent skin contact. |
| Respiratory protection | : If ventilation during spray-application is inadequate, use respirators with combination filter AP, gas/dust filter (EN405:2001). Wear a respirator with type P2 filter during sanding (EN149:2001). Be sure to use an approved/certified respirator or equivalent. Check that mask fits tightly and change filter regularly. |
| Environmental exposure controls | : For information regarding environmental protection measures, please refer to section 13 for waste handling, section 7 for handling and storage and section 1.2 for relevant identified uses of the substance or mixture and uses advised against. |

SECTION 9: Physical and chemical properties

| 9.1 Information on basic physical | l a | nd chemical properties |
|---|-----|--|
| Appearance | | |
| Physical state | : | Liquid. |
| Color | : | Various |
| Odor | : | Mild. |
| Odor threshold | : | Not relevant for the hazard assessment of the product. |
| рН | : | Not relevant for the hazard assessment of the product. |
| Melting point/freezing point | : | Not available. |
| Initial boiling point and | : | Not available. |
| boiling range | | |
| Flash point | ÷ | >100°C |
| Evaporation rate | : | Not available. |
| Flammability (solid, gas) | ÷ | Not applicable. Product is a liquid. |
| Upper/lower flammability or explosive limits | : | Not available. |
| Vapor pressure | : | Not available. |
| Vapor density | : | Not available. |
| Density | : | 1.2 g/cm ³ |
| Solubility(ies) | : | Miscible in water. |
| Partition coefficient: n-octanol/ water | : | Not applicable. |
| Auto-ignition temperature | : | Not available. |
| Decomposition temperature | : | Not relevant for the hazard assessment of the product. |
| Viscosity | : | Not relevant for the hazard assessment of the product. |
| Explosive properties | : | No explosive ingredients present. |
| Oxidizing properties | : | No oxidizing ingredients present. |
| Particle characteristics Median particle size 9.2 Other information | : | Not applicable. |
| | | |

No additional information.

No previous validation.

AKVI TOP AB 20

| SECTION 10: Stability and reactivity | | | |
|--|---|--|--|
| 10.1 Reactivity | : | See Section 10.5. | |
| 10.2 Chemical stability | : | Stable under recommended storage and handling conditions (see Section 7). | |
| 10.3 Possibility of hazardous reactions | : | Under normal conditions of storage and use, hazardous reactions will not occur. | |
| 10.4 Conditions to avoid | : | Avoid extreme heat and freezing. | |
| 10.5 Incompatible materials | : | Keep away from the following materials to prevent strong exothermic reactions: oxidizing agents strong acids strong alkalis | |
| 10.6 Hazardous decomposition products | : | When exposed to high temperatures, hazardous decomposition products may be produced, such as carbon monoxide and dioxide, smoke, oxides of nitrogen etc. | |

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

There is no testdata available on the product itself.

The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended.

Long term exposure to spray mist may produce respiratory tract irritation. Prolonged or repeated contact can defat the skin and lead to irritation, cracking and/or dermatitis.

Acute toxicity Not classified. Irritation/Corrosion Not classified. Sensitization Not classified. The product contains sensitizing substances mentioned in sections 2 and 3. Mutagenicity Not classified. Carcinogenicity Not classified. **Reproductive toxicity** Not classified. Teratogenicity Not classified. Specific target organ toxicity (single exposure) Not classified. Specific target organ toxicity (repeated exposure) Not classified. Aspiration hazard Not classified. 11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

Not applicable.

11.2.2 Other information

Not available.

No previous validation.

SECTION 12: Ecological information

Ecological testing has not been conducted on this product. The product is classified as environmetally hazardous according to Regulation (EC) 1272/2008. Harmful to aquatic life with long lasting effects.

Do not allow to enter drains, water courses or soil.

12.1 Toxicity

| Product/ingredient name | Result | Species | Exposure |
|--|----------------------|------------------------------|----------|
| 3-iodo-2-propynyl butylcarbamate (IPBC) | EC50 0.053 mg/l | Algae | 72 hours |
| | EC50 0.16 mg/l | Daphnia | 48 hours |
| | LC50 0.067 mg/l | Fish | 96 hours |
| | NOEC 0.05 mg/l | Daphnia - Daphnia magna | 21 days |
| 1,2-benzisothiazol-3(2H)- one (BIT) | Acute EC50 0.36 mg/l | Algae - Skeletonema costatum | 72 hours |
| | Acute LC50 0.74 mg/l | Fish | 96 hours |

12.2 Persistence and degradability

| Product/ingredient name | Aquatic half-life | Photolysis | Biodegradability |
|--|-------------------|------------|------------------|
| reaction mass of 5-chloro- 2-methyl-2H-isothiazol- 3-one and 2-methyl-2H- isothiazol-3-one (3:1) (C(M) IT/MIT (3:1)) | - | - | Readily |

12.3 Bioaccumulative : No specific data. **potential**

12.4 Mobility in soil

| Soil/water partition coefficient (Koc) | : Not available. |
|--|------------------|
| Mobility | : Not available. |

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

| 12.6 Endocrine disrupting | : | Not applicable. |
|---------------------------|---|-----------------|
| properties | | |

12.7 Other adverse effects : Not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Methods of disposal: Gather residues into waste containers. Liquid residue and cleaning liquids are
hazardous waste and must not be emptied into drains or sewage system, but
handled in accordance with national regulations. Product residues should be left at
special companies which have permission for gathering this kind of wastes.

02.09.2022 Date of previous issue

AKVI TOP AB 20

No previous

validation.

European waste catalogue (EWC)

| Waste code | Waste designation |
|------------|---|
| 08 01 11* | waste paint and varnish containing organic solvents or other hazardous substances |

If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned. For further information, contact your local waste authority.

Packaging

- **Methods of disposal** : Empty packaging should be recycled or disposed of in accordance with national regulations.
- Special precautions : No additional information.

SECTION 14: Transport information

This product is not regulated for carriage according to ADR/RID, IMDG, IATA.

| | ADR/RID | IMDG | IATA |
|------------------------------------|----------------|----------------|----------------|
| 14.1 UN number or ID number | Not regulated. | Not regulated. | Not regulated. |
| 14.2 UN proper shipping name | - | - | - |
| 14.3 Transport hazard class(es) | - | - | - |
| 14.4 Packing group | - | - | - |
| 14.5 Environmental hazards | No. | No. | No. |

14.6 Special precautions for : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Maritime transport in : Not available. bulk according to IMO instruments

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)

Other EU regulations

Europe inventory : At least one component is not listed.

Persistent Organic Pollutants

Not listed.

| VOC Directive | : | This product is in scope of Directive 2004/42/CE. |
|------------------------------------|---|--|
| 15.2 Chemical Safety Assessment | : | This product contains substances for which Chemical Safety Assessments are still required. |

No previous validation.

SECTION 16: Other information

Indicates information that has changed from previously issued version. : ATE = Acute Toxicity Estimate Abbreviations and CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. acronyms 1272/2008] DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number vPvB = Very Persistent and Very Bioaccumulative Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS] Classification **Justification** Aquatic Chronic 3, H412 Calculation method Full text of abbreviated H Toxic if swallowed. : H301 statements H302 Harmful if swallowed H310 Fatal in contact with skin. H312 Harmful in contact with skin. H330 Fatal if inhaled. H331 Toxic if inhaled. H332 Harmful if inhaled. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H319 Causes serious eye irritation. Causes skin irritation. H315 May cause an allergic skin reaction. H317 H372 Causes damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects. H412 EUH071 Corrosive to the respiratory tract. Full text of classifications Acute Tox. 2 ACUTE TOXICITY - Category 2 • Acute Tox. 3 [CLP/GHS] ACUTE TOXICITY - Category 3 Acute Tox. 4 ACUTE TOXICITY - Category 4 Aquatic Acute 1 AQUATIC HAZARD (ACUTE) - Category 1 Aquatic Chronic 1 AQUATIC HAZARD (LONG-TERM) - Category 1 Aquatic Chronic 2 AQUATIC HAZARD (LONG-TERM) - Category 2 Aquatic Chronic 3 AQUATIC HAZARD (LONG-TERM) - Category 3 Eve Dam. 1 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2 Eve Irrit. 2 Skin Corr. 1C SKIN CORROSION/IRRITATION - Category 1C Skin Irrit. 2 SKIN CORROSION/IRRITATION - Category 2 Skin Sens. 1 **SKIN SENSITIZATION - Category 1** Skin Sens. 1A SKIN SENSITIZATION - Category 1A STOT RE 1 SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 1 Date of issue/ Date of : 9/2/2022 revision Date of previous issue : No previous validation Version : 1

Notice to reader

| Date of issue/Date of revision | 02.09.2022 Date of previous issue | No proviouo | AKVI TOP AB 20 | |
|--------------------------------|-----------------------------------|-------------|----------------|--|
| Date of issue/Date of revision | 02.09.2022 Date of previous issue | No previous | ANVI TOP AD 20 | |
| | • | | | |
| | | validation. | | |
| | | vanualion. | | |

This Safety Data Sheet is prepared in accordance with Annex II (EU) No 878/2020 to Regulation (EC) No 1907/2006 (REACH). The information contained in this Safety Data Sheet is based on the present state of knowledge and current EU and national legislation. It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications.