Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878 - Europe Date of issue/ Date of Date of previous issue : 11/11/2022 : 9/15/2021

revision



SAFETY DATA SHEET

TEMAFLOOR PU FLEX COLOR

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

: TEMAFLOOR PU FLEX COLOR **Product name**

Product description

: A two-component polyurethane paint.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended use: Painting work

1.3 Details of the supplier of the safety data sheet

Manufacturer or Distributor Tikkurila Oyj P.O. Box 53 FI-01301 VANTAA **FINLAND** Telephone +358 20 191 2000 e-mail address of person : Tikkurila Oyj, responsible for this SDS Product Safety, e-mail: productsafety@tikkurila.com

1.4 Emergency telephone number

Telephone number	:	112
-		(24h)

Supplier or Manufacturer

: Tikkurila Oyj **Telephone number** +358 20 191 2000 (GMT +2) Mon-Fri 8-16

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition : Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS] The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended.

2.2 Label elements

Signal word	:	No signal word.
Hazard statements	:	No hazard statements.
Precautionary statements		
General	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	Safety data sheet available on request.

TEMAFLOOR PU FLEX COLOR

Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

15.09.2021.

2.3 Other hazards

Other hazards which do : None known. not result in classification

SECTION 3: Composition/information on ingredients

3.2 Mixtures	: Mixture	: Mixture					
			Classification				
Product/ingredient name	Identifiers	%	Regulation (EC) No. 1272/2008 [CLP]	Notes			
glycerol, propoxylated	EC: 500-044-5 CAS: 25791-96-2	≤3	Acute Tox. 4, H302	-			
			See Section 16 for the full text of the H statements declared above.				

Notes, if applicable, refer to Notes given in Annex VI of 1272/2008/EC.

There are no additional ingredients present which, within the current knowledge of the supplier, are classified and contribute to the classification of the substance and hence require reporting in this section.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs or vPvBs or have been assigned a workplace exposure limit and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures

4. Description of first all measures				
General	: In all cases of doubt, or when symptoms persist, seek medical attention. Show this safety data sheet or label to the doctor if possible.			
Eye contact	: Check for and remove any contact lenses. Immediately flush eyes with plenty of lukewarm water, keeping eyelids open. Continue to rinse for at least 15 minutes.			
Inhalation	: Remove to fresh air.			
Skin contact	: Wash skin thoroughly with soap and water or use recognized skin cleanser. Do NOT use solvents or thinners.			
Ingestion	: If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious). If significant amounts have been swallowed or if symptoms persist, seek medical attention.			

4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

4.3 Indication of any immediate medical attention and special treatment needed

None.

SECTION 5: Firefighting measures

5.1 Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire. Recommended: Alcohol resistant foam, CO ₂ , powders or water spray/mist.
Unsuitable extinguishing media	: Do not use a direct water jet that could spread the fire.

5.2 Special hazards arising from the substance or mixture

Date of issue/Date of revision	11.11.2022 Date of previous issue	15.09.2021.	TEMAFLOOR PU FLEX COLOR
Hazards from the substance or mixture	: This product is not classified as fla Exposure to decomposition produ		•
Hazardous combustion products	: When exposed to high temperature produced, such as carbon monox		
5.3 Advice for firefighters			
Special protective actions for fire-fighters	: Use water spray to keep fire-expo fire to drains or watercourses.	sed containers o	cool. Do not release runoff from
Special protective equipment for fire-fighters	: Appropriate breathing apparatus r	nay be required.	

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures	:	Refer to protective measures listed in sections 7 and 8.
6.2 Environmental precautions	:	Do not allow to enter drains, water courses or soil.
6.3 Methods and materials for containment and cleaning up	:	Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Preferably clean with a detergent. Avoid using solvents.
6.4 Reference to other sections	:	See Section 1 for emergency contact information. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling	: Avoid contact with skin and eyes. Avoid breathing vapor. Avoid inhalation of dust from sanding. See Section 8 for information on appropriate personal protective equipment. Eating, drinking and smoking should be prohibited in areas where this material is handled and stored. Wash hands before breaks and immediately after handling the product.
7.2 Conditions for safe storage, including any incompatibilities	: Store away from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10). Keep container tightly closed. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Recommended storage temperature is +5°C+25°C. Store in accordance with local regulations.
7.3 Specific end use(s)	: None.

SECTION 8: Exposure controls/personal protection

5	3.1 Control parameters	
	Occupational exposure limits No exposure limit value known.	
	Recommended monitoring : procedures	If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.
	DNELs/DMELs	
	No DNELs/DMELs available.	
	PNECs	
	No PNECs available.	

8.2 Exposure controls

Appropriate engineering controls

Provide adequate ventilation. If these are not sufficient to maintain concentrations of particulates and solvent vapours below the OEL, suitable respiratory protection must be worn (see Personal protection for both components). Comply with the health and safety at work laws.

15.09.2021.

Individual protection measures

Eye/face protection	: Safety eyewear should be used when there is a likelihood of exposure.
Hand protection	 Wear protective gloves. Gloves should be replaced regularly and if there is any sign of damage to the glove material. The instructions and information provided by the glove manufacturer on use, storage, maintenance and replacement must be followed. Recommended glove material (EN374): 1 hour (breakthrough time): nitrile rubber, fluor rubber 8 hours (breakthrough time): laminated foil Not recommended: PVC or natural rubber (latex) gloves
Skin protection	: Wear appropriate personal protective clothing to prevent skin contact.
Respiratory protection	: If ventilation is inadequate, use respirator that will protect against dust/mist. Wear a half mask or full face respirator with gas and vapor filter A and dust filter P2 during sanding (EN140:1998, EN405:2001). During continuous and long-term work the use of motor-driven or air-fed respirators is recommended (EN12941:1998). Be sure to use an approved/certified respirator or equivalent. Check that mask fits tightly and change filter regularly.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance		
Physical state	:	Liquid.
Color	:	Coloured
Odor	:	Strong.
Odor threshold	:	Not relevant for the hazard assessment of the product.
рН	:	Not relevant for the hazard assessment of the product.
Melting point/freezing point	:	Not available.
Initial boiling point and boiling range	:	Not available.
Flash point	:	>100°C
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not applicable. Product is a liquid.
Upper/lower flammability or explosive limits	:	Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Density	:	1.44 g/cm ³
Solubility(ies)	:	Not available.
Partition coefficient: n-octanol/ water	:	Not applicable.
Auto-ignition temperature	:	Not available.
Decomposition temperature	1	Not relevant for the hazard assessment of the product.
Viscosity	1	Not relevant for the hazard assessment of the product.
Explosive properties	1	No explosive ingredients present.
Oxidizing properties	:	No oxidizing ingredients present.
Particle characteristics Median particle size 9.2 Other information	:	Not applicable.
9.2 Other mormation		

No additional information.

15.09.2021.

TEMAFLOOR PU FLEX COLOR

SECTION 10: Stability and reactivity		
10.1 Reactivity	:	See Section 10.5.
10.2 Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
10.3 Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
10.4 Conditions to avoid	:	Avoid extreme heat and freezing.
10.5 Incompatible materials	:	Keep away from the following materials to prevent strong exothermic reactions: oxidizing agents strong acids strong alkalis
10.6 Hazardous decomposition products	:	When exposed to high temperatures, hazardous decomposition products may be produced, such as carbon monoxide and dioxide, smoke, oxides of nitrogen etc.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

There is no testdata available on the product itself.

The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended.

Prolonged or repeated contact can defat the skin and lead to irritation, cracking and/or dermatitis.

Acute toxicity Not classified. Irritation/Corrosion Not classified. Sensitization Not classified. Mutagenicity Not classified. Carcinogenicity Not classified. **Reproductive toxicity** Not classified. Teratogenicity Not classified. Specific target organ toxicity (single exposure) Not classified. Specific target organ toxicity (repeated exposure) Not classified. Aspiration hazard Not classified. 11.2 Information on other hazards

11.2.1 Endocrine disrupting properties Not applicable.

11.2.2 Other information

Not available.

15.09.2021.

SECTION 12: Ecological information

Ecological testing has not been conducted on this product. The product is not classified as environmentally hazardous according to Regulation (EC) 1272/2008.

Do not allow to enter drains, water courses or soil.

12.1 Toxicity	No specific data.
---------------	-------------------

Not available.

12.2 Persistence and : No specific data. **degradability**

12.3 Bioaccumulative potential

Product/ingredient name	LogP _{ow}	Bioconcentration factor [BCF]	Potential
glycerol, propoxylated	-1.82 to -0.73	-	low

12.4 Mobility in soil

Soil/water partition	: Not available.
coefficient (Koc)	
Mobility	: Not available.

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Endocrine disrupting	: Not applicable.
properties	

12.7 Other adverse effects : Not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Methods of disposal

: Gather residues into waste containers. Liquid residue must not be emptied into drains or sewage system, but handled in accordance with national regulations. Product residues should be left at special companies which have permission for gathering this kind of wastes.

European waste catalogue (EWC)

Waste code	Waste designation	
08 01 11* 08 01 12	waste paint and varnish containing organic solvents or other hazardous substances waste paint and varnish other than those mentioned in 08 01 11	

If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned. For further information, contact your local waste authority.

Packaging

Methods of disposal	:	Empty packaging should be recycled or disposed of in accordance with national regulations.
Special precautions	:	Note! The ready for use mixture of paint and hardener generates much heat. Allow the remainder of the mixture to harden in a safe place, e.g. in the open.

SECTION 14: Transport information

This product is not regulated for carriage according to ADR/RID, IMDG, IATA.

	ADR/RID	IMDG	ΙΑΤΑ
14.1 UN number or ID number	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-
14.3 Transport hazard class(es)	-	-	-
14.4 Packing group	-	-	-
14.5 Environmental hazards	No.	No.	No.

14.6 Special precautions for user: **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Maritime transport in : Not available. bulk according to IMO instruments

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)

Other EU regulations

Europe inventory : Not determined.

Persistent Organic Pollutants Not listed.

Not listed.

VOC Directive	: This product is in scope of Directive	2004/42/CE.

15.2 Chemical Safety	This product contains substances for which Chem	nical Safety Assessments are still
Assessment	required.	

SECTION 16: Other information

Indicates information that has changed from previously issued version.

Abbreviations and	: ATE = Acute Toxicity Estimate
acronyms	CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
	DMEL = Derived Minimal Effect Level
	DNEL = Derived No Effect Level
	EUH statement = CLP-specific Hazard statement
	PBT = Persistent, Bioaccumulative and Toxic
	PNEC = Predicted No Effect Concentration
	RRN = REACH Registration Number
	vPvB = Very Persistent and Very Bioaccumulative

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification

Not classified.

Version : 3

Justification

Date of issue/Date of revision	11.11.2022 Date of prev	ious issue 15.09.2021.	TEMAFLOOR PU FLEX COLOR
Full text of abbreviated H statements	:H302 Harmful if sv	vallowed.	
Full text of classifications [CLP/GHS]	: Acute Tox. 4	ACUTE TOXICITY - Ca	ategory 4
Date of issue/ Date of revision	: 11/11/2022		
Date of previous issue	: 9/15/2021		
Version	: 3		
Netter te service			

Notice to reader

This Safety Data Sheet is prepared in accordance with Annex II (EU) No 878/2020 to Regulation (EC) No 1907/2006 (REACH). The information contained in this Safety Data Sheet is based on the present state of knowledge and current EU and national legislation. It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications.